

# A case should be...

## Micro ATX Tiny Tower

- ATX V2.1 compliant
- Excellent ventilation & EMI containment
- Front access USB 2.0 & Audio
- Low acoustic level
- Changeable plate
- OEM/ODM available

YY-A106-X03



YY-A106-X04



YY-A106-X01



# CASPER VI



Simple side open  
Easy to maintain



Keep out Zone allows  
the longer add-on card

6cm fan optional

## SPECIFICATIONS

<b>Case dimension:</b>	136mm W x 340mm D x 329mm H 5.3"W x 13.3"D x 12.9" H
<b>Motherboard configuration:</b>	Micro ATX
<b>Drive configuration:</b>	1-5.25"exposed 1-3.5"exposed 1-3.5"(1")hidden
<b>Optional system cooling fan:</b>	1 x 6cm fan(rear-mounted)
<b>Expansion slots:</b>	Standard PCI 4 Slots
<b>Speaker:</b>	Yes
<b>Front panel control:</b>	Power switch,Dual USB/Audio,Blue LED
<b>Materials:</b>	Recyclable materials; Steel chassis Flame retardant plastic parts and front bezel(HB)
<b>Emissions:</b>	Designed to meet FCC class B-47 CFR Part 15/ IEC / CISPR 22:1993
<b>Net Weight:</b>	4.6kg / 10.1 lbs
<b>Color:</b>	Cool Gray, Dark Gray, Silver
<b>Power Supply:</b>	SFX 150W-235W,SFX12V/PFC Function optional UL, CSA, TUV, CE approved, DOC compliance
<b>Options:</b>	6cm cooling fan (ball bearing) USB/Audio module
<b>Packing /Shipping:</b>	935pcs / 20' container 1950 / 40' container,2160pcs / 40' HQ container



A case should be...

YEONG YANG TECHNOLOGY CO.,LTD  
12F.,778-1 Chung Cheng Road,  
Chung-Ho City,Taipei Hsien, Taiwan, R.O.C  
Tel:+886-2-32340020 Fax:+886-2-32340014  
E-mail:info@yeongyang.com.tw  
WebSite: http://www.yeongyang.com

Europe Branch  
YEONG YANG TECHNOLOGY GmbH  
Mühlenhagen 130,20539 Hamburg,  
Germany  
Tel:+49-40-780461-0 Fax:+49-40-780461-11  
E-mail:info@yeongyang.de  
WebSite:http://www.yeongyang.de

U.S.A Contact:  
Gigacase Corp.  
18459 E. Railroad St., City of Industry  
CA91748, USA  
Tel:+1-626-854-9289 Fax:+1-626-854-1896  
E-mail:info@yeongyang.com  
WebSite:http://www.gigacase.com

All brand names and trademarks are the property of their respective owners.  
Specifications are subject to change without prior notice.

# A case should be...

## Micro ATX Tiny Tower

- ATX V2.1 compliant
- Excellent ventilation & EMI containment
- Front access USB 2.0 & Audio
- Low acoustic level
- Changeable plate
- OEM/ODM available



YY-A206-X03



YY-A206-X04  
(Silver Color)



The Professional Computer Case Manufacturer

[www.yeongyang.com](http://www.yeongyang.com)

Meets lower ambient temperature guideline  
of 38°C For Pentium 4 3G + Generation



200W PS'U with  
ATX 12V, even PFC  
(250W coming soon)

CPU area come  
without height  
limitation, allows  
alternative CPU  
coolers

Simple side open  
Easy to maintain

**4 Standard PCI slots**  
4 Standard PCI slot can set up any kind of  
function you need, to fit your request. More  
flexible for highly changeable PC world today.

Standard CD-ROM  
or DVD-ROM, optional  
HDD cage could be hang  
below CDROM cage



Rear Side

2\*6 cm fans rear-mounted  
(optional)

## SPECIFICATIONS

<b>Case dimension:</b>	136mm W x 370mm D x 329mm H 5.3"W x 14.5"D x 12.9" H
<b>Motherboard configuration:</b>	Micro ATX
<b>Drive configuration:</b>	1-5.25" CDROM 1-3.5" FDD 1-3.5" HDD 1-3.5" HDD Option
<b>Optional system cooling fan:</b>	2 x 6cm fans (rear-mounted)
<b>Expansion slots:</b>	Standard PCI 4 Slots
<b>Speaker:</b>	Yes
<b>Front panel control:</b>	Power switch, Dual USB/Audio, Blue LED
<b>Materials:</b>	Recyclable materials; Steel chassis Flame retardant plastic parts and front bezel(HB)
<b>Emissions:</b>	Designed to meet FCC class B-47 CFR Part 15/ IEC / CISPR 22:1993
<b>Net Weight:</b>	4.6kg / 10.1 lbs
<b>Color:</b>	Cool Gray, Dark Gray, Silver
<b>Power Supply:</b>	SFX 150W-250W, SFX12V/PFC Function optional UL, CSA, TUV, CE approved, DOC compliance
<b>Options:</b>	2 x 6cm cooling fans (ball bearing) USB/Audio module
<b>Packing /Shipping:</b>	855pcs / 20' container 1785 / 40' container, 1975pcs / 40' HQ container



A case should be...

**YEONG YANG TECHNOLOGY CO.,LTD**  
12F.,778-1 Chung Cheng Road,  
Chung-Ho City, Taipei Hsien., Taiwan, R.O.C  
Tel:+886-2-32340020 Fax:+886-2-32340014  
E-mail:info@yeongyang.com.tw  
WebSite: http://www.yeongyang.com

Europe Branch  
**YEONG YANG TECHNOLOGY GmbH**  
Mühlenhagen 130.20539 Hamburg,  
Germany  
Tel:+49-40-780461-0 Fax:+49-40-780461-11  
E-mail:info@yeongyang.de  
WebSite:http://www.yeongyang.de

U.S.A Contact:  
**Gigacase Corp.**  
18459 E. Railroad St., City of Industry  
CA91748, USA  
Tel:+1-626-854-9289 Fax:+1-626-854-1896  
E-mail:info@yeongyang.com  
WebSite:http://www.gigacase.com

All brand names and trademarks are the property of their respective owners.  
Specifications are subject to change without prior notice.